AG Publishing House

Architectural Paradigms: Academic Research in Pedagogy, Heritage, and Sustainability

Year: 2026

Parametric Architecture: Tools, Techniques, and Workflow

Ar. Pooja Niphadkar[1*]

[1]*Assistant Professor, Dr D Y Patil College of Architecture Akurdi Pune*

Abstract

The advent of Parametric architecture has revolutionized the way architects are working in the 21st century, combining computational design, algorithmic modelling, and performance-based decision making within the design process. The basic concepts, digital tools, computational methods, workflow, applications, and problems of parametric architecture are explored in this review. It explains the importance of parameter-driven and rule-based design to help architects find flexible, adaptive and efficient solutions. Major software packages such as Rhino–Grasshopper, Autodesk Dynamo, CATIA and Bentley Generative Components are covered and complemented with additional plugins like Ladybug Tools, Kangaroo and Galapagos. The review also specifies the parametric design workflow from the definition of design parameters to the performance evaluation and documentation. Applications for complex building forms, façade design, structural optimization and sustainable architecture are emphasized, and the challenge of the computational requirements being discussed as well as the need for interoperability, standardization and programming knowledge. In conclusion, parametric architecture is an important breakthrough in digital architectural design.

Keywords; Parametric Architecture; Computational Design; Algorithmic Modelling; Generative Design; Performance-Based Design.

[*] ISBN No. 978-93-7640-203-8

1 INTRODUCTION

Parametric architecture is a computational design approach, where the architectural form is generated and controlled by parameters, algorithms and pre-defined relationships rather than by manually modelling individual elements. This method has the design elements linked together so that if a change is made to one element it automatically updates other connected elements of the model. In contrast to geometric modelling, parametric design sets up associative relationships that allow investigation of many design options quickly and consistently while keeping everyone in the loop and ensuring accuracy [1].

Parametric architecture has evolved with the development of digital design technologies. The first generation of CAD (Computer Aided Design) was as drawing tools, enhancing the accuracy of engineering drawings, but didn't help much with complex design exploration [2]. The use of new computing technologies led to the introduction of algorithmic thinking in architecture, whereby the designer sets up rules, limitations, and mathematical relationships that create and manipulate architectural forms. This change has been enabled through software platforms like Rhino–Grasshopper, Autodesk Dynamo, CATIA and Bentley Generative Components, allowing computational modelling and design optimization [3], [4].

Parametric architecture is defined by its ability to be designed using parameters and rules. Parameters can be geometric dimensions, environmental factors, material characteristics, or structural constraints; algorithms can define relationships between these parameters. Therefore, any design changes are automatically carried through the model, minimizing repetitive manual changes and enhancing the coordination. This allows the designers to easily compare various design options and incorporate performance criteria into the design process [5], [6].

In modern practice, parametric architecture has proven to be a great improvement in the realm of design flexibility, creativity and efficiency. Iterative computational workflows enable designers to create complex geometries, optimise building performance, and effectively address functional and environmental requirements. Thus, parametric design has emerged as a vital method in creating innovative, adaptable, and performance-centric architectural solutions [7].

2 FUNDAMENTAL PRINCIPLES AND DIGITAL TOOLS OF PARAMETRIC ARCHITECTURE

Parametric architecture is based on a computational approach that creates relationships between variables of design, allowing the architect to generate, edit and optimise the architectural forms efficiently. In contrast to traditional modelling methods, parametric design uses parameters and algorithmic logic that are interconnected and can be used to carry out a fast design exploration

and to automatically update the models. This approach is effective only when the design principles are applied and if there are specific pieces of software tools and plugins that facilitate computational modelling, simulation and performance analysis [8].

3 CORE PRINCIPLES

i. **Parameters and relationships:** Geometric, structural, environmental and functional variables are defined as parameters in parametric design. These parameters are related to each other via mathematical relationships such that updating any one parameter automatically updates related parameters to remain consistent with the design.

ii. **Associative modelling:** Associative modelling establishes relationships between design elements, allowing for changes to ripple through the model. This makes manual revisions and coordination easier, and makes the designs more accurate in the development phase of a project.

iii. **Algorithmic and rule-based design:** Architectural forms are algorithmically generated by logical rules and computational scripts instead of using manual drafting processes. Using rule-based modelling, designers can program repetitive tasks and efficiently generate several design options that meet a set of constraints.

iv. **Design iteration and adaptability:** There are a number of advantages to parametric models, such as the ability to quickly model and evaluate many iterations of a design with relative ease. This flexibility simplifies optimizing performance and making sound decisions during the design process.

4 MAJOR SOFTWARE TOOLS

Parametric architecture has taken a few digital platforms as fundamental tools. Rhino and Grasshopper is the most popular environment, which provides visual programming for the creation of complex geometries, and for the integration of environmental, structural and fabrication analyses. Autodesk Dynamo adds to Building Information Modelling (BIM) workflows by providing rule-based modelling and design automation capabilities within Autodesk Revit. CATIA was first developed for the aerospace sector and is used as an advanced parametric surface modelling tool, having been widely applied to more complex architectural applications demanding high geometric accuracy. Bentley Generative Components enables designers to create flexible, associative and generative modelling, incorporating engineering and infrastructure needs into the design process [9], [10].

5 SUPPORTING PLUGINS

i. **Ladybug Tools:** Provides environmental analysis for daylight, solar radiation, thermal comfort, and energy performance, supporting sustainable design decisions.
ii. **Kangaroo:** A physics-based simulation plugin used for form-finding, tensile structures, mesh relaxation, and structural optimization within Grasshopper.
iii. **Galapagos:** An evolutionary solver that applies genetic algorithms to optimize design parameters and identify high-performing architectural solutions based on specified objectives.

6 PARAMETRIC DESIGN TECHNIQUES AND COMPUTATIONAL METHODS

Parametric architecture is a design approach that utilizes mathematical equations to create designs that are adaptable, data-driven, and performance-based. These techniques go beyond the traditional approach to geometric modelling, adding algorithms, simulation and optimization to the design process. Consequently, architects are able to quickly produce a variety of design solutions, assess their performance, and improve the designs according to pre-specified goals and constraints [11].

i. **Algorithmic Modelling:** Algorithmic modelling is the process of creating architectural forms on a computer using a series of mathematical algorithms and logical sequences based on a series of predetermined parameters. Instead of designing individual parts, computational rules are set by the designer to automatically generate and alter complex geometries. This helps to enhance the efficiency of the architectural modelling, maintain consistency, and provides flexibility, allowing for exploring innovative architectural solutions.
ii. **Visual Programming:** Visual programming makes computational design easier by making it possible for architects to create algorithms using graphical node-based interfaces rather than a traditional programming language. Grasshopper and Dynamo are platforms that help architects without coding skills to link functional nodes and establish geometric relationships, automate modelling processes and assist in modifying designs.
iii. **Generative Design Concepts:** Generative design is the application of computer algorithms that produce multiple design variations for a given set of objectives and constraints. These are ways designers consider when making decisions and help to develop creative ideas in conceptual design based on the function, environmental and structural considerations, and aesthetics.

iv. **Form Finding and Optimization:** Form finding uses computer simulations to find efficient structural and geometric configurations, and optimization techniques further develop these forms to maximize the performance of the structure, minimize materials use and minimize environmental response. Architects can now rely on physics-based simulations and optimization algorithms to design for high performance, while minimizing material usage and improving constructability.

v. **Performance-Based Design and Design Automation:** Performance-based design optimises the design by incorporating simulations of daylighting, energy use, thermal comfort and structural behaviour in the design process so that design decisions can be made based on measurable performance. At the same time, design automation and iterative modelling reduces repetitive work and allows for easy modification of design options, enhancing the efficiency of the design process and facilitating informed architectural decision-making.

Table 9: Parametric Design Techniques and Computational Methods

Technique / Method	Definition	Primary Function	Common Software / Tools	Architectural Applications
Algorithmic Modelling	A computational approach that generates architectural forms using mathematical algorithms, logical rules, and predefined parameters.	Automates geometry creation, manages complex relationships, and enables rapid design modifications.	Rhino–Grasshopper, CATIA, Generative-Components	Complex geometries, façade systems, structural forms, conceptual design.
Visual Programming	A node-based programming method that allows designers to create computational workflows without traditional coding.	Simplifies algorithm development, automates modelling tasks, and improves design accessibility.	Grasshopper, Autodesk Dynamo	Parametric modelling, BIM automation, workflow customization, design exploration.
Generative Design	A design process that automatically	Explores numerous design	Grasshopper (Galapagos),	Space planning,

	produces multiple design alternatives based on predefined objectives and constraints.	options and identifies optimal solutions through computational analysis.	Autodesk Generative Design, Dynamo	façade optimization, structural layouts, conceptual architecture.
Design Optimization	A process that refines design alternatives by evaluating performance against predefined objectives and constraints.	Improves structural efficiency, environmental performance, and material utilization.	Galapagos, Octopus, Wallacei, Dynamo	Sustainable buildings, structural optimization, energy-efficient designs.
Performance-Based Design	A design methodology that integrates environmental and structural simulations into the design process.	Evaluates daylight, thermal comfort, energy efficiency, and structural performance to support informed decision-making.	Ladybug Tools, Honeybee, Karamba3D	Sustainable architecture, daylight analysis, energy modelling, environmental design.
Design Automation	The use of computational scripts and parametric rules to automate repetitive modelling and documentation tasks.	Reduces manual effort, increases consistency, and accelerates project delivery.	Dynamo, Grasshopper, Revit API	BIM workflows, drawing generation, quantity extraction, repetitive component modelling.

7 PARAMETRIC DESIGN WORKFLOW IN ARCHITECTURAL PRACTICE

The parametric design approach combines computational modelling and simulation, performance analysis, and digital documentation to offer a structured, iterative process for architectural design. Parametric workflows offer architects the ability to explore design options

and continuously adjust the design as project requirements evolve, unlike traditional linear design processes. This approach helps foster teamwork, ensures alignment with design standards and aids in data-driven decision making throughout project development [12], [13].

i. **Defining Design Objectives and Parameters:** Project objectives are set, and the main design parameters such as spatial demands, geometric dimensions, environmental conditions, structural restrictions, material properties, etc. are determined. These parameters are used to inform computational modelling, and to ensure that the design meets functional, aesthetic and performance needs.
ii. **Creating Computational Models:** Architects create computational models with software like Rhino–Grasshopper, Dynamo, or CATIA, after setting parameters. Algorithms and associative modelling are used to create relationships between design elements that automatically update when the values of the design elements are changed. This approach enhances the accuracy of modelling and greatly minimizes repetitive manual revisions.
iii. **Iterative Design Generation:** Parametric modelling allows for the easy creation of several design variations, by changing parameters and computation rules. Designers can easily experiment with various configurations, consider new forms and shapes, and adjust their design ideas effectively and consistently.
iv. **Performance Evaluation and Optimization:** Performance simulations to assess daylight availability, energy efficiency, structural behaviour and environmental performance are used to evaluate generated alternatives. Optimization algorithms can be used to find solutions that meet specific performance requirements and take into account function, sustainability and constructability.
v. **Model Refinement, Documentation, and Integration:** Selected design is optimised after optimization to increase the geometric accuracy and documentation of the project. Parametric models automatically update drawings, schedules and documentation, reducing coordination errors. The finalized model can also be linked seamlessly to Building Information Modelling (BIM) software and digital fabrication technologies, aiding multidisciplinary collaboration and precision manufacturing and construction processes.

8 APPLICATIONS, AND CURRENT CHALLENGES

The phenomenon of parametric architecture has revolutionized the architectural profession, allowing for the development of innovative, efficient, and data-driven design solutions. Using computational modelling and algorithm-driven workflows, architects can meet complex design demands effectively, enhance project quality and performance and increase efficiency.

Although the parametric design has many merits, there are also many technical and educational challenges that can affect the use of this design in wider application in the architecture, engineering, and construction (AEC) industry.

9 APPLICATIONS

Parametric architecture has found extensive use in the concept and development of complex building forms that feature free form geometries and complicated spatial configurations, which are hard to obtain through traditional modelling methods. In the field of façade design, it has proven especially useful in creating a rationalization of façade panels, shading systems, and responding building envelopes according to environmental and aesthetic criteria via parametric tools. Computational algorithms are used in structural optimization to help designers create efficient structural systems that use less material in a way that keeps them strong and stable. Other parametric tools include environmental and sustainable design simulations of daylighting, energy performance, solar radiation and natural ventilation, allowing for performance-based design decisions at early design stages. Moreover, such methods can be applied in design for interior and urban scales, and flexible layouts, public spaces and urban forms can be created and assessed based on functional, environmentally and socially related criteria [14] [15].

10 CURRENT CHALLENGES

Parametric architecture has been gaining popularity but there are several key challenges. However, computational thinking and scripting can be challenging for novice users and smaller design firms because of its steep learning curve. For modelling, simulation and optimization, advanced hardware and software resources are required due to the high computational need. Interoperability with software is still an issue as the exchange of data between different modelling tools, BIM applications, and analysis tools can create a risk of loss of information and/or compatibility issues. Moreover, lack of standardization of parametric workflows from software to software impacts the consistency of professional practice. One of the major challenges is the reliance on programming expertise, especially when it comes to implementing an effective output, which frequently requires knowledge of algorithms, scripting and computational logic, in addition to conventional architectural design skills [16], [17].

11 LITERATURE REVIEW

(Söderlund et al., 2024) [18] aims to respond to the two research questions listed below: Which kinds of faults can a parametric tool efficiently handle? What are the possible advantages and drawbacks of using parametric tools to guarantee the quality of architectural drawings? The research uses the Design Science Research Methodology, which entails interviewing five

industry experts to identify problems with drawing reviews and creating a parametric design script for drawing verification. The research's conclusions have resulted in the creation of two scripts that function as proof-of-concept model artefacts, illustrating the potential of using parametric design for drawing reviews. Other potential uses of parametric design and automated processes in the AEC industry might be the subject of future research.

(Dervishaj & Gudmundsson, 2025) [12] suggests a solar, context-adaptive, and reusable facade idea and workflow. By utilising solar radiation to guide façade modules with changeable openness or qualities (such as frit cover), the workflow integrates solar control with parametric facade design, allowing envelopes to react to changes in urban context while encouraging circularity. Simulations evaluating sunshine, glare, energy, and circularity in shifting urban environments were used to evaluate the approach. To monitor façade modifications and reuse, a Solar Circularity Indicator (SCI) was implemented. An 85% SCI was achieved in the 100mnewobstruction scenario by maintaining 79% of façade modules and reusing 29% of modified modules. SCI and Sunlight Autonomy metrics were in good alignment. With a negligible energy gain (<1%), the redesign increased Spatial Daylight Autonomy by up to 4%. Compared to glass facades, our method produced 11% less glare and 2% more useable lighting (100–3000lux). The workflow offers a structure for circular, performance-driven designs that maintain flexibility and beauty.

(Ahmad et al., 2025) [19] examines how genetic algorithms (GAs)-based parametric design and optimisation might enhance shade structures to cut solar radiation and cooling energy use. It focuses on window shading structure optimisation and parametric design, whether for new construction or for retrofitting existing buildings. In order to accomplish this, sophisticated tools are necessary since they allow designers to include different architectural elements that improve energy efficiency. By lowering solar radiation on building facades, lowering air conditioning energy consumption, and increasing overall energy efficiency, the parametric structures are intended to enhance the shadowed areas. Rhino/GH is used to finish the modelling, simulation, and parametrisation. The research employs a mid-rise structure in Abu Dhabi as a case study, although the methodology is more generally applicable to buildings in hot climates. Shading of fenestration is a major concern in dry climatic regions due to excessive sun radiation. The results demonstrate that for the example study, the GA-based optimised shading system, based on the cumulative radiation, lowered the overall radiation quantity by 19% and the cooling energy usage by 26.2%. This illustrates how parametric design may help create architecture that is more energy-efficient and sustainable.

(Zhang, 2017) [20] Today's design and development have more space because to parametric design, which is a new and developing design trend. Consequently, a variety of parametric

structures started to appear on the historical stage. Additionally, in response to local geographical features, we must take into account the building's unique setting and environmental linkages while designing it. National architects are actively investigating the design of buildings with a regional temperament in accordance with the topography, sunshine, and other natural elements as cultural variety grows. As a result, the active development of regional culture has become the foundation of regional architecture, encompassing not only the building's exterior design but also its cultural significance. However, because parametric design is still in its exploring phase, it somewhat represents the blindness of multi-cultural discovery. Thus, the parametric approach for the study of regional architecture can create a new paradigm for regional architecture and offer fresh chances for the development of new architectural aesthetics from an ecological point of view and depending on the degree of cultural variety.

(Cao, 2024) [21] explains the development of parametric design from straightforward structural optimisations to intricate full-scale building and metropolitan area planning. The integration of parametric and generative design with Building Information Modelling (BIM) is covered in this study. With the use of this technological combination, architects may test and research hundreds of design options and optimise for specific factors like structural integrity, material efficiency, and energy consumption. In addition to discussing the difficulties in implementing these technologies, such as computational demands and a lack of digital interoperability, this study presents several case studies of how these technologies are used to create creative and sustainable urban environments, such as Sidewalk Toronto. The innovative prospects for sustainable development and the future of architectural practice that these technologies are providing are identified in the paper's conclusion.

(Adeusi et al., 2024) [22] examines how new possibilities for spatial exploration, performance optimisation, and generative design are being introduced by computational methodologies, particularly machine learning and parametric design algorithms, which are revolutionising architectural practice. Artificial intelligence becomes a collaborative tool that opens up new possibilities for architectural design. Computational systems can analyse large datasets, produce intricate design iterations, and optimise architectural solutions across several dimensions of structural integrity, environmental performance, and contextual response thanks to sophisticated neural networks and generative design algorithms. Case studies of adaptive architectural systems in Madrid and sustainable urban housing in Singapore provide empirical evidence of how computational technologies can generate design solutions that outperform conventional approaches, addressing important issues in urban resilience and environmental sustainability. The research critically investigates AI's technical potential and constraints in architectural design. It draws attention to the possibility of algorithmic prejudice, difficulties in documenting

phenomenological experiences, and moral issues pertaining to creative agency. The study offers a nuanced strategy that strikes a balance between human intuition and technical innovation by highlighting the necessity of multidisciplinary collaboration and strong ethical foundations.

12 CONCLUSION

Parametric Architecture has become a revolutionary paradigm that combines computational technologies and architectural design to create flexible, adaptive and performance-oriented built environments. The use of parameter-driven modelling, algorithmic design and iterative workflows allows architects to create, test, and test and test design possibilities, and then optimize them in response to structural, environmental, and functional needs. The software platforms and some specialized plug-ins, which have been developed and are available, have further extended the possibilities of creating innovative architectural forms and design accuracy. The use of parametric methods is becoming increasingly relevant for modern application, as illustrated in examples from façade engineering, structural optimization, sustainable design and urban planning. Nevertheless, the steep learning curve, high computation requirements, software interoperability, lack of workflow standardization, and a reliance on programming skills remain to impact its broad adoption. Further developments of the computational tools, interdisciplinary collaboration and architectural education are expected to make the architecture more accessible and to lay the ground for Parametric Architecture to become a basic approach to architectural design and construction in the future.

13 REFERENCES

[1] J. S. Patil, A. P. S. Deshmukh, A. P. S. Thakur, and A. R. Mundhada, “The Role of Parametric Architecture in Modern Times,” *Int. J. Adv. Innov. Technol. Eng.*, vol. 8, no. 4, pp. 32–35, 2023.

[2] X. Li, W. Gan, X. Liu, and J. Yang, “Rule-Based Digital Twin: An Integrated Parametric-BIM Workflow for Life-Cycle Delivery of Free-Form, Special-Shaped Envelopes in Large-Scale Public Buildings,” *Buildings*, vol. 16, no. 778, pp. 1–23, 2026.

[3] A. I. L. Pacheco, I. C. N. da R. Marques, and R. J. G. Rocha, “Digital Paradigms in Architecture: Toward a Layered Computational Ecology from Early Computation to Artificial Intelligence,” *Architecture*, vol. 6, no. 89, pp. 1–25, 2026.

[4] A. Vikram, “Bio-Inspired Algorithmic Framework for Adaptive Façade Design in Energy-Efficient Architecture,” *Int. J. Innov. Sci. Eng. Manag.*, vol. 5, no. 2, pp. 21–28, 2026, doi: 10.69968/ijisem.2026v5i221-28.

[5] A. M. Youns and K. Grchev, “A Historical and Critical Assessment of Parametricism as an Architectural Style in the 21st Century,” *Buildings*, vol. 14, no. 2656, 2024.

[6] R. Garcia-alvarado, P. Soza-ruiz, and E. Valenzuela-Astudillo, "Parametric Form-Finding for 3D-Printed Housing: A Computational Workflow from Generative Exploration to Architectural Development," *Appl. Sci.*, vol. 16, no. 3567, pp. 1–22, 2026.

[7] I. Caetano, L. Santos, and A. Leitao, "Computational design in architecture: Defining parametric, generative, and algorithmic design," *Front. Archit. Res.*, vol. 9, 2020, doi: 10.1016/j.foar.2019.12.008.

[8] T. Al-Azzawi and Z. Al-Majidi, "Parametric architecture: the second international style," *IOP Conf. Ser. Mater. Sci. Eng.*, 2021, doi: 10.1088/1757-899X/1067/1/012019.

[9] M. W. Rezk, A. A. Almokadem, H. A. Ahmed, and N. M. Badawy, "The Impact of Digital Tools on Parametric Architecture," *PORT SAID Eng. Res. J.*, vol. 72, no. 1, pp. 1–15, 2023, doi: 10.21608/pserj.2023.176865.1203.

[10] A. P. Barge, "Role of Parametric Design in Converting Concept into Reality through Fluid Architecture," *Int. J. Res. Eng. Appl. Manag.*, pp. 44–48, 2021.

[11] D. López-López, A. Serrano-Jiménez, J. Gavilanes, F. Ventura-Blanch, Á. Barrios-Padura, and C. Díaz-López, "A Study on the Parametric Design Parameters That Influence Environmental Ergonomics and Sustainability," *Sustainability*, vol. 15, no. 6304, 2023.

[12] A. Dervishaj and K. Gudmundsson, "Parametric design workflow for solar, context-adaptive and reusable facades in changing urban environments," *J. Build. Perform. Simul.*, vol. 18, no. 2, 2025, doi: 10.1080/19401493.2024.2432916.

[13] T. B. Wortmann T, "Differentiating Parametric Design: Digital Workflows in Contemporary Architecture and Construction," *Des. Stud.*, 2017, doi: 10.1016/j.destud.2017.05.004.

[14] S. Kim, M. H. Myint, Y. Yu, W. Lee, and T. W. Kim, "Application of Parametric Modeling Techniques for Automated Detailing of Exterior Finishes in Architectural BIM Models: A South Korean Case Study," *Buildings*, vol. 14, no. 4013, 2024.

[15] A. A. Semjen and J. Szep, "Integrating generative and parametric design with BIM: A literature review of challenges and research gaps in construction design," *Appl. Eng. Sci.*, vol. 23, 2025.

[16] O. Nasir and M. A. Kamal, "EXPLORING THE ROLE OF PARAMETRIC ARCHITECTURE IN BUILDING DESIGN: AN INCLUSIVE APPROACH," *Archit. Civ. Eng.*, vol. 21, no. 1, pp. 95–114, 2023.

[17] M. Hazbei and C. Cucuzzella, "Revealing a Gap in Parametric Architecture's Address of 'Context,'" *Buildings*, vol. 13, no. 3136, 2023.

[18] J. Söderlund, O. Weber, P. Ericson, and A. Moscati, "EXPLORING THE USE OF PARAMETRIC DESIGN IN THE AEC SECTOR TO IMPROVE AND ENSURE

QUALITY OF DRAWINGS," *J. Inf. Technol. Constr.*, pp. 850–863, 2024, doi: 10.36680/j.itcon.2024.037.

[19] A. Ahmad, L. Bande, W. Ahmed, K. T. Aoul, and M. Jha, "Parametric Optimization and Assessment of Modern Heritage Shading Screen for a Mid-Rise Building in Arid Climate: Modernizing Traditional Designs," *Buildings*, vol. 15, no. 1148, 2025.

[20] B. Zhang, "Research on Parametric Regional Architecture Design Based on Ecological Perspective," *Adv. Soc. Sci. Educ. Humanit. Res.*, vol. 101, 2017.

[21] H. Cao, "Innovative Applications of Parametric Design and Digital Tools in Architecture: Exploring the Integration of Generative Design and BIM Technology," *Proc. 2nd Int. Conf. Funct. Mater. Civ. Eng.*, pp. 147–152, 2024, doi: 10.54254/2755-2721/98/20241127.

[22] T. S. Adeusi, O. L. Kachiside, R. Gupta, and I. M. Oyewole, "Innovative architectural design practices enabled by AI-powered parametric and computational approaches," *World J. Adv. Res. Rev.*, vol. 24, no. 3, 2024.